

THOMAS SONNY MERRYMAN PRICING SCHEDULE # E194-807-1-01

Division of Purchases & Supply

Pricing Schedule for School Buses

3/16/2007

CORRECTION TO THOMAS PRICING SCHEDULE CONTRACT # E194-807-1-01 03-16-2007

**03/15/2007 - SPECIAL NOTE: THE THOMAS PRICING DOCUMENT IS
CORRECTED AS FOLLOWS:**

**After reviewing the above referenced contract award, Sonny Merryman, Inc. made the following
corrections to the pricing schedule:**

All Models

**HVAC-Extra Defroster Fan-This option should be standard or no charge. The state specifications now require the
extra defroster fan.**

C65 Air Brake

**Thomas Recommended Options-Air Brake Upgrade-This option is included in the base price of this unit and
should be listed as standard or no charge.**

D66RE, D72RE, D78RE, D84RE

Interior-Adjustable Pedals-This option is available and should be priced @ \$391.00.

D42FE, D53FE, D66FE, D66RE, D71FE, D72RE, D77FE, D78RE, D83FE, D84RE

Thomas Recommended Options/ABS w/Traction Control-This option is available and should be priced @ \$485.00.

D78RE, D84RE

Transmission-The PTS 2500 transmission should be listed as Not Available rather than standard.

**The PTS 3000 transmission should be listed as standard. This transmission is required by Virginia DOE
specifications and is included in the base price.**

2007 Additional Options

[illegible]

| | | | | | | | | | | |
|--|--|----------------------------|----------|--------------|----------|----------|----------|----------|----------|---|
| A16 Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| A | 16 | Kingmor/IC | | | | | | | | |
| A | 16 | Commonwealth Bus/Blue Bird | | | | | | | | |
| A | 16 | Sonny Merryman Thomas | \$39,182 | \$39,182 | \$39,182 | \$39,182 | \$39,182 | \$39,182 | \$39,182 | \$39,182 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| | | | | | | | | | | |
| A | 16 | Kingmor/IC | | | | | | | | |
| A | 16 | Commonwealth Bus/Blue Bird | | | | | | | | |
| A | 16 | Sonny Merryman Thomas | \$39,182 | \$39,182 | \$38,682 | \$38,682 | \$38,682 | \$38,682 | \$38,682 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| Not Listed Options Discount from List | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Tires | Spare Tire | | \$323 | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$250 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$350 | | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$470 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | "Vandalock System" locking system | | \$50 | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$550 | | | | | | | |
| Doors | Right side entrance door assist handle | | \$50 | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$383 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$454 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$185 | | | | | | | |
| Stop Arm | LED stop sign | | \$185 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$100 | | | | | | | |
| Stop Arm | SMC Diamond | | \$100 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$70 | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$50 | | | | | | | |
| Exterior | Rubber Fender | | \$42 | | | | | | | |
| Floor | Flat | | \$1,200 | | | | | | | |
| Floor | Koroseal gray | | \$100 | | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|-------------|--|--|--|--|--|--|--|
| Floor | Koroseal Pebble top | | \$100 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | \$2,764 | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$3,278 | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Emergency Equipment Storage | | N/A | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Keys | Keyed Alike | | N/A | | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$108 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | N/A | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$60 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | N/A | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | N/A | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | STD | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$100 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$250 | | | | | | | |
| Paint | Painted white roof | | \$420 | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$180 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | STD | | | | | | | |
| Seats | Seat Belt Ready | | STD | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$98 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$194 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$287 | | | | | | | |

[illegible]

[illegible][illegible]

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
|--|--|

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
| | |

| | |
|--|--|
| | |
|--|--|

Two way radio prices can be quoted on an as specified basis. There are too many variables involved to quote a blanket price on this type of radio

| | | | | | | | | | | |
|---|--|----------------------------|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--|
| A-24 Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| A | 24 | Kingmor/IC | | | | | | | | |
| A | 24 | Commonwealth Bus/Blue Bird | | | | | | | | |
| A | 24 | Sonny Merryman Thomas | \$39,204 | \$39,204 | \$39,204 | \$39,204 | \$39,204 | \$39,204 | \$39,204 | \$39,204 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| | | | | | | | | | | |
| A | 24 | Kingmor/IC | | | | | | | | |
| A | 24 | Commonwealth Bus/Blue Bird | | | | | | | | |
| A | 24 | Sonny Merryman Thomas | \$39,204 | \$39,204 | \$38,704 | \$38,704 | \$38,704 | \$38,704 | \$38,704 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| Not Listed Options Discount from List | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Tires | Spare Tire | | \$323 | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$250 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$350 | | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$470 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | "Vandalock System" locking system | | \$50 | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$550 | | | | | | | |
| Doors | Right side entrance door assist handle | | \$50 | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$383 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$454 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$185 | | | | | | | |
| Stop Arm | LED stop sign | | \$185 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$100 | | | | | | | |
| Stop Arm | SMC Diamond | | \$100 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$70 | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$50 | | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|-------------|--|--|--|--|--|--|--|
| Exterior | Rubber Fender | | \$42 | | | | | | | |
| Floor | Flat | | \$1,200 | | | | | | | |
| Floor | Koroseal gray | | \$100 | | | | | | | |
| Floor | Koroseal Pebble top | | \$100 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | \$2,764 | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$3,278 | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Emergency Equipment Storage | | N/A | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Keys | Keyed Alike | | N/A | | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$108 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | N/A | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$60 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | N/A | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | N/A | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | STD | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$100 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$250 | | | | | | | |
| Paint | Painted white roof | | \$420 | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$180 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$96 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$98 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$194 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|---------|--|--|--|--|--|--|--|
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable | | \$287 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$444 | | | | | | | |
| Wheelchair | Q Straint non retractable tiedown | | \$380 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$520 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | 2 lights around lift | | \$60 | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$100 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$150 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$140 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | N/A | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | N/A | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$36 | | | | | | | |
| | Fog Lights (2) | | N/A | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel | | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | | |
| | Digital REI Bus Watch, 1 | | \$1,951 | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | | |
| | Dash Air (C2) | | STD | | | | | | | |
| | Diesel Engine | | \$5,590 | | | | | | | |
| | Extended Body | | \$1,280 | | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | | \$2,385 | | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | | \$2,601 | | | | | | | |

| C35 Buses Listed With Volume Discounts and Options | | | | | | | | | | |
|--|--|----------------------------|---|--------------|----------|----------|----------|----------|----------|---|
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| | | | | | | | | | | |
| C | 35 | Kingmor/IC | | | | | | | | |
| C | 35 | Commonwealth Bus/Blue Bird | | | | | | | | |
| C | 35 | Sonny Merryman Thomas | \$62,051 | \$62,051 | \$61,551 | \$61,551 | \$61,551 | \$61,051 | \$61,051 | \$61,051 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| | | | | | | | | | | |
| C | 35 | Kingmor/IC | | | | | | | | |
| C | 35 | Commonwealth Bus/Blue Bird | | | | | | | | |
| C | 35 | Sonny Merryman Thomas | \$61,051 | \$61,051 | \$60,551 | \$60,551 | \$60,551 | \$60,551 | \$60,051 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | \$210 | | | | | | | |
| Alternator | 200 amp | | \$510 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | STD | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | STD | | | | | | | |
| Battery | 12 volt, 1050 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1150 CCA | | \$36 | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$136 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | \$794 + AIR BRAKE OPTION | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | STD | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | N/A | | | | | | | |
| Brakes | Dust Shields | | STD | | | | | | | |
| Electrical | Master Disconnect Switch | | \$125 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | STD | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD W / CUMMINS ENGINE - \$240 W / MBE ENGINE | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | 220 HP \$485 | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |

| | | | | | | | | | |
|--------------|--|--|--------------------------|--|--|--|--|--|--|
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | \$633 | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$1,068 | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,656 | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$2,155 | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | N/A | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | N/A | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | N/A | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | |
| Suspension | Rear air-ride suspension | | \$410 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | STD | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | \$170 | | | | | | |
| Tires | Michelin 10R22.5 | | \$440 | | | | | | |
| Tires | Michelin 25570R22.5 | | \$540 | | | | | | |
| Tires | Goodyear 10R22.5 | | STD | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$148 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$208 | | | | | | |
| Transmission | Manual transmission deduct | | \$1,063 | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD W / AIR BRAKE OPTION | | | | | | |
| Transmission | Allison PTS 2200 | | STD | | | | | | |
| Transmission | Allison PTS 3000 | | \$3,698 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | PRICE UPON REQUEST | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | PRICE UPON REQUEST | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |

| | | | | | | | | | | |
|-----------------------|--|--|--------------------|--|--|--|--|--|--|--|
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | Manual Entrance Door | | N/A | | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | NO CHARGE | | | | | | | |
| Doors | Right side entrance door assist handle | | \$80 | | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$80 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$225 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$255 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$225 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | N/A | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | N/A | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$98 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | N/A | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |

| | | | | | | | | | |
|----------|---|--|-------------|--|--|--|--|--|--|
| Floor | Flat | | \$0 | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,220 | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,340 | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | \$345 | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | |
| Interior | 12" window openings | | STD | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | |
| Interior | Painted Green | | N/A | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$230 | | | | | | |
| Interior | Adjustable Pedal System | | \$391 | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|--------------------------|--|--|--|--|--|--|--|
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$230 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$433 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$252 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$384 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$560 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$192 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$188 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |

| | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelcahir position | | -\$81 | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$289 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | |
| Thomas Recommended Options | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | STD | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | |
| | Window Frames Flat Black | | STD | | | | | | |
| | Webasto TSL 17 Engine Heater | | \$329 | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | |
| | Padded Rails Interior @ Window Level | | \$37 | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | |
| | Air Brake upgrade required for certain option useage | | \$1,460 | | | | | | |
| | Spare Wheel | | \$100 | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | \$364 | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$610 | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | \$479 | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | \$700 | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | \$1,000 | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | \$302 | | | | | | |
| | Mercedes Benz Engine Exhaust Brake | | \$505 | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |

| | | | | | | | |
|--|--|--|--|--|--|--|--|
| Thomas Footnotes | | | | | | | |
| All Air Conditioning options require tinted glass and either a 200 amp or 270 amp alternator. | | | | | | | |
| Floor mounted tracking requires plywood floor and the appropriate number of track seat attachments and/or wheelchair tiedown devices | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | |
| G2 Model upgrade requires electric powered floor, 78" headroom option & flat black window frames | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following options: | | | | | | | |
| 1. Increased front brake lining | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | |
| 3. Manual transmission deduct | | | | | | | |
| 4. Abs w/traction control | | | | | | | |
| 5. Air operated entrance door | | | | | | | |
| 6. Flat floor | | | | | | | |
| 7. On spot automatic chains | | | | | | | |
| 8. Mercedes Benz Engine Brake | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many variables involved to quote a blanket price on this ty | | | | | | | |

| D42FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
|---|---|-------------------------------|--------------|-------------------|----------|----------|----------|----------|----------|---|
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 42 | Kingmor/IC | | | | | | | | |
| D | 42 | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 42 | Sonny Merryman Thomas | \$68,272 | \$68,272 | \$67,772 | \$67,772 | \$67,772 | \$67,272 | \$67,272 | \$67,272 |
| D | 42 | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 42 | | | | | | | | | |
| D | 42 | Kingmor/IC | | | | | | | | |
| D | 42 | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 42 | Sonny Merryman Thomas | \$67,272 | \$67,272 | \$66,772 | \$66,772 | \$66,772 | \$66,772 | \$66,272 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non- skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long- stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |

| | | | | | | | | | | |
|--------------|--|--|----------------------|--|--|--|--|--|--|--|
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | N/A | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | | |
| Tires | Sternco front hubs | | N/A | | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | | |
| Transmission | Allison PTS 3000 | | \$4,262 | | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | | |

| | | | | | | | | | | |
|-----------------------|--|--|--------------------|--|--|--|--|--|--|--|
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |

| | | | | | | | | | | |
|----------|---|--|-------------|--|--|--|--|--|--|--|
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |

| | | | | | | | | | | |
|---------------------|--|--|---------|--|--|--|--|--|--|--|
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$395 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$433 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$252 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$448 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$656 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$192 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelcahir position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$289 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$50 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option useage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | N/A | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | | |

[illegible]

| C53 Buses Listed With Volume Discounts and Options | | | | | | | | | | |
|--|--|---|---|--------------|----------|----------|----------|----------|----------|---|
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| C | 53 | Kingmor/IC | | | | | | | | |
| C | 53 | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 53 | Sonny Merryman Thomas | \$64,055 | \$64,055 | \$63,555 | \$63,555 | \$63,555 | \$63,055 | \$63,055 | \$63,055 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| | 53 | | | | | | | | | |
| C | 53 | Kingmor/IC | | | | | | | | |
| C | 53 | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 53 | Sonny Merryman Thomas | \$63,055 | \$63,055 | \$62,555 | \$62,555 | \$62,555 | \$62,555 | \$62,055 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | \$210 | | | | | | | |
| Alternator | 200 amp | | \$510 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | STD | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | STD | | | | | | | |
| Battery | 12 volt, 1050 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1150 CCA | | \$36 | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$136 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | \$794 + AIR BRAKE OPTION | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | STD | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | N/A | | | | | | | |
| Brakes | Dust Shields | | STD | | | | | | | |
| Electrical | Master Disconnect Switch | | \$125 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | STD | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD W / CUMMINS ENGINE - \$240 W / MBE ENGINE | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | 220 HP \$485 | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | \$633 | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$1,068 | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,656 | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$2,155 | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |

| | | | | | | | | | | |
|--------------|--|--|--------------------------|--|--|--|--|--|--|--|
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | N/A | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | N/A | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | N/A | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$410 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | | |
| Tires | Oil lubed front wheel barings | | STD | | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | | |
| Tires | 11R22.5 14 Ply | | \$170 | | | | | | | |
| Tires | Michelin 10R22.5 | | \$440 | | | | | | | |
| Tires | Michelin 25570R22.5 | | \$540 | | | | | | | |
| Tires | Goodyear 10R22.5 | | STD | | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$148 | | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | | |
| Transmission | Brake/transmission interlock | | \$208 | | | | | | | |
| Transmission | Manual transmission deduct | | \$1,063 | | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | | |
| Transmission | Allison PTS 2500 | | STD W / AIR BRAKE OPTION | | | | | | | |
| Transmission | Allison PTS 2200 | | STD | | | | | | | |
| Transmission | Allison PTS 3000 | | | | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | PRICE UPON REQUEST | | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | PRICE UPON REQUEST | | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |

| | | | | | | | | | | |
|-----------------------|---|--|-----------|--|--|--|--|--|--|--|
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | Manual Entrance Door | | N/A | | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | NO CHARGE | | | | | | | |
| Doors | Right side entrance door assist handle | | \$80 | | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$80 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$225 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$255 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$225 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | N/A | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | N/A | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$98 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | N/A | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,420 | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,540 | | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|--------------------------|--|--|--|--|--|--|--|
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | \$345 | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$270 | | | | | | | |
| Interior | Adjustable Pedal System | | \$391 | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$270 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$433 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |

| | | | | | | | | | | |
|---------------------|--|--|---------|--|--|--|--|--|--|--|
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$360 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$576 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$848 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$216 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$188 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinneydyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelcahir position | | -\$81 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$309 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | STD | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | STD | | | | | | | |
| | Webasto TSL 17 Engine Heater | | \$329 | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$37 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option useage | | \$1,460 | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes) | | \$364 | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$610 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | \$479 | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | \$700 | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | \$1,000 | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | |
| | On/Off Fan Clutch | | \$302 | | | | | | | |
| | Mercedes Benz Engine Exhaust Brake | | \$505 | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | | |
| | Dash Air (C2) | | \$1,280 | | | | | | | |

[illegible]

| D53FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
|--|--|----------------------------|--------------|--------------|----------|----------|----------|----------|----------|---|
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 53 | Kingmor/LC | | | | | | | | |
| D | 53 | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 53 | Sonny Merryman Thomas | \$69,369 | \$69,369 | \$68,869 | \$68,869 | \$68,869 | \$68,369 | \$68,369 | \$68,369 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 53 | | | | | | | | | |
| D | 53 | Kingmor/LC | | | | | | | | |
| D | 53 | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 53 | Sonny Merryman Thomas | \$68,369 | \$68,369 | \$67,869 | \$67,869 | \$67,869 | \$67,869 | \$67,369 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options | | | | | | | | | | |
| Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options | | | | | | | | | | |
| Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|----------------------|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | N/A | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stermo front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$4,262 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |

| | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Floor | Flat | | \$0 | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | |
| Interior | 12" window openings | | STD | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | |
| Interior | Painted Green | | N/A | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|-------------|--|--|--|--|--|--|--|
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$424 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$483 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$324 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$576 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$848 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$252 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$309 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$50 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option useage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | N/A | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | | |

[illegible]

| | | | | | | | | | | |
|---|---|---|---|-------------------|--------------|--------------|--------------|--------------|---------------|--|
| C65 AIR BRAKE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| C | 65 AIR BRAKE | Kingmor/IC | | | | | | | | |
| C | 65 AIR BRAKE | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 65 AIR BRAKE | Sonny Merryman Thomas | \$66,400 | \$66,400 | \$65,900 | \$65,900 | \$65,900 | \$65,400 | \$65,400 | \$65,400 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| | 65 AIR BRAKE | | | | | | | | | |
| C | 65 AIR BRAKE | Kingmor/IC | | | | | | | | |
| C | 65 AIR BRAKE | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 65 AIR BRAKE | Sonny Merryman Thomas | \$65,400 | \$65,400 | \$64,900 | \$64,900 | \$64,900 | \$64,900 | \$64,400 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List 12/27/2005 | | Kingmor | | | | | | | | |
| | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | \$210 | | | | | | | |
| Alternator | 200 amp | | \$510 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | STD | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | STD | | | | | | | |
| Battery | 12 volt, 1050 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1150 CCA | | \$36 | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$136 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | \$794 + AIR BRAKE OPTION | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | STD | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | N/A | | | | | | | |
| Brakes | Dust Shields | | STD | | | | | | | |
| Electrical | Master Disconnect Switch | | \$125 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | STD | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD W / CUMMINS ENGINE - \$240 W / MBE ENGINE | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | 220 HP \$485 | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | \$633 | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$1,068 | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,656 | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$2,155 | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |

| | | | | | | | | | | |
|-----------------------|--|--|--------------------------|--|--|--|--|--|--|--|
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | N/A | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | N/A | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$410 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | | |
| Tires | Oil lubed front wheel barings | | STD | | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | | |
| Tires | Sterco front hubs | | N/A | | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | | |
| Tires | 11R22.5 14 Ply | | \$170 | | | | | | | |
| Tires | Michelin 10R22.5 | | \$440 | | | | | | | |
| Tires | Michelin 25570R22.5 | | \$540 | | | | | | | |
| Tires | Goodyear 10R22.5 | | STD | | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$148 | | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | | |
| Transmission | Brake/transmission interlock | | \$208 | | | | | | | |
| Transmission | Manual transmission deduct | | \$1,063 | | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | | |
| Transmission | Allison PTS 2500 | | STD W / AIR BRAKE OPTION | | | | | | | |
| Transmission | Allison PTS 2200 | | STD | | | | | | | |
| Transmission | Allison PTS 3000 | | | | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | PRICE UPON REQUEST | | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | PRICE UPON REQUEST | | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | Manual Entrance Door | | N/A | | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | NO CHARGE | | | | | | | |
| Doors | Right side entrance door assist handle | | \$80 | | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$80 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$225 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$255 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Driver Seat | Bostrom Routemaster with Air Ride | | \$225 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | N/A | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | N/A | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$98 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | N/A | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,528 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$7,888 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | \$345 | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$385 | | | | | | | |
| Interior | Adjustable Pedal System | | \$391 | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|--------------------------|--|--|--|--|--|--|--|
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$385 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$450 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$432 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$704 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,040 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$294 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$188 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |

| | | | | | | | | | | |
|----------------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'Straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$329 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | STD | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | STD | | | | | | | |
| | Webasto TSL 17 Engine Heater | | \$329 | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$37 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option usage | | \$1,460 | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes) | | \$364 | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$610 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | \$479 | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | \$700 | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | \$1,000 | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | |
| | On/Off Fan Clutch | | \$302 | | | | | | | |
| | Mercedes Benz Engine Exhaust Brake | | \$505 | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |

| | | | | | | | | | |
|---|---|---------|--|--|--|--|--|--|--|
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | \$325 | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | \$350 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | \$1,881 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | \$1,951 | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | \$2,166 | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | \$375 | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | \$1,225 | | | | | | | |
| | Dash Air (C2) | \$1,280 | | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | \$2,385 | | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | \$2,601 | | | | | | | |
| | LED Back Up Lights | \$348 | | | | | | | |
| Thomas Footnotes | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and Floor mounted tracking requires plywood floor and the appropriate number of track | | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | | |
| C2 Model upgrade requires electric powered door, -78" headroom option & flat black | | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | | |
| 6. Flat floor | | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | | |

| | | | | | | | | | | |
|--|--|---|---|--------------|--------------|--------------|--------------|--------------|---------------|--|
| C65 HYDRAULIC BRAKE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| C | 65 HYDRAULIC BRAKE | Kingmor/IC | | | | | | | | |
| C | 65 HYDRAULIC BRAKE | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 65 HYDRAULIC BRAKE | Sonny Merryman Thomas | \$65,674 | \$65,674 | \$65,174 | \$65,174 | \$65,174 | \$64,674 | \$64,674 | \$64,674 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| C | 65 HYDRAULIC BRAKE | Kingmor/IC | | | | | | | | |
| C | 65 HYDRAULIC BRAKE | Commonwealth Bus/Blue Bird/Vision Chassis | | | | | | | | |
| C | 65 HYDRAULIC BRAKE | Sonny Merryman Thomas | \$64,674 | \$64,674 | \$64,174 | \$64,174 | \$64,174 | \$64,174 | \$63,574 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | \$210 | | | | | | | |
| Alternator | 200 amp | | \$510 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | STD | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | STD | | | | | | | |
| Battery | 12 volt, 1050 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1150 CCA | | \$36 | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$136 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | \$794 + AIR BRAKE OPTION | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | STD W / AIR BRAKE OPTION | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | STD | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | N/A | | | | | | | |
| Brakes | Dust Shields | | STD | | | | | | | |
| Electrical | Master Disconnect Switch | | \$125 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | STD | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD W / CUMMINS ENGINE - \$240 W / MBE ENGINE | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | 220 HP \$485 | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | \$633 | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$1,068 | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,656 | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$2,155 | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|--------------------------|--|--|--|--|--|--|
| Engine | DT466E 220 HP | | N/A | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | N/A | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | N/A | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | |
| Suspension | Rear air-ride suspension | | \$410 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | STD | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | \$170 | | | | | | |
| Tires | Michelin 10R22.5 | | \$440 | | | | | | |
| Tires | Michelin 25570R22.5 | | \$540 | | | | | | |
| Tires | Goodyear 10R22.5 | | STD | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$148 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$208 | | | | | | |
| Transmission | Manual transmission deduct | | \$1,063 | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD W / AIR BRAKE OPTION | | | | | | |
| Transmission | Allison PTS 2200 | | STD | | | | | | |
| Transmission | Allison PTS 3000 | | | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | PRICE UPON REQUEST | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | PRICE UPON REQUEST | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | N/A | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | NO CHARGE | | | | | | |
| Doors | Right side entrance door assist handle | | \$80 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$80 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$225 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$255 | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$225 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | N/A | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | N/A | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$98 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | N/A | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | STD | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,528 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$7,888 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | \$345 | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R6 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$385 | | | | | | | |
| Interior | Adjustable Pedal System | | \$391 | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$202 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |

| | | | | | | | | | |
|---------------------|---|--|--------------------------|--|--|--|--|--|--|
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$385 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$450 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD W / AIR BRAKE OPTION | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$432 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$704 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,040 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$294 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$188 | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | |

| | | | | | | | | | |
|----------------------------------|--|--|-----------|--|--|--|--|--|--|
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$329 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | |
| Thomas Recommended Options | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | STD | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | |
| | Window Frames Flat Black | | STD | | | | | | |
| | Webasto TSL 17 Engine Heater | | \$329 | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | |
| | Padded Rails Interior @ Window Level | | \$37 | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | |
| | Air Brake upgrade required for certain option useage | | \$1,460 | | | | | | |
| | Spare Wheel | | \$100 | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | \$364 | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$610 | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | \$479 | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | \$700 | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | \$1,000 | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | \$302 | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | |

| | | | | | | | | | | |
|--|---|---------|--|--|--|--|--|--|--|--|
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | \$2,453 | | | | | | | | |
| | Seon Design Digital Additional Cameras ea | \$325 | | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | \$350 | | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | \$1,881 | | | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | \$1,951 | | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | \$2,166 | | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | \$375 | | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | \$1,225 | | | | | | | | |
| | Dash Air (C2) | \$1,280 | | | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | \$2,385 | | | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | \$2,601 | | | | | | | | |
| | LED Back Up Lights | \$348 | | | | | | | | |
| Thomas Footnotes | | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and Floor mounted tracking requires plywood floor and the appropriate number of track Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | | | |
| C2 Model upgrade requires electric powered door, -78" headroom option & flat black | | | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | | | |
| 6. Flat floor | | | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | | | |
| If wheelchair lift is ordered a side door (60° or 68") must be ordered. | | | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | | | |

| | | | | | | | | | | |
|--|---|-------------------------------|--------------|-------------------|--------------|--------------|--------------|--------------|---------------|--|
| D65 FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 65 FE | Kingmor/IC | | | | | | | | |
| D | 65 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 65 FE | Sonny Merryman Thomas | \$69,714 | \$69,714 | \$69,214 | \$69,214 | \$69,214 | \$68,714 | \$68,714 | \$68,714 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 65 FE | | | | | | | | | |
| D | 65 FE | Kingmor/IC | | | | | | | | |
| D | 65 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 65 FE | Sonny Merryman Thomas | \$68,714 | \$68,714 | \$68,214 | \$68,214 | \$68,214 | \$68,214 | \$67,714 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options | | | | | | | | | | |
| Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options | | | | | | | | | | |
| Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | N/A | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel bearings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$4,262 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |

| | | | | | | | | | |
|---------------------|--|--|-------------|--|--|--|--|--|--|
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$485 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$518 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$396 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$704 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,040 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$308 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |

| | | | | | | | | | |
|--|--|--|-----------|--|--|--|--|--|--|
| Wheelchair | SurlLock non retractable tiedown | | \$246 | | | | | | |
| Wheelchair | SurlLock retractable tiedown | | \$376 | | | | | | |
| Wheelchair | Q Straint non retractable tiedown | | \$284 | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | |
| Wheelchair | Kinneydyne L Track | | N/A | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$329 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | |
| Thomas Recommended Options | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | |
| | Padded Rails Interior @ Window Level | | \$60 | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | |
| | Air Brake upgrade required for certain option usagee | | STD | | | | | | |
| | Spare Wheel | | \$100 | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | N/A | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | | \$2,385 | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | | \$2,601 | | | | | | |
| | LED Back Up Lights | | \$348 | | | | | | |
| Thomas Footnotes | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and either | | | | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| Floor mounted tracking requires plywood floor and the appropriate number of track seat | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | |
| C2 Model upgrade requires electric powered door, 78" headroom option & flat black | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | |
| 6. Flat floor | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | |

| | | | | | | | | | | |
|--|---|-------------------------------|------------|-------------------|--------------|--------------|--------------|--------------|--------------|---|
| D66 RE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 66RE | Kingmor/IC | | | | | | | | |
| D | 66RE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 66RE | Sonny Merryman Thomas | \$79,010 | \$79,010 | \$78,510 | \$78,510 | \$78,510 | \$78,010 | \$78,010 | \$78,010 |
| D | 66RE | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 66RE | | | | | | | | | |
| D | 66RE | Kingmor/IC | | | | | | | | |
| D | 66RE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 66RE | Sonny Merryman Thomas | \$78,010 | \$78,010 | \$77,510 | \$77,510 | \$77,510 | \$77,510 | \$77,010 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$251 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$760 | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,240 | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$1,888 | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | \$3,822 | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$680 | | | | | | |
| Steering | Tilt/Telescopic | | STD | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | \$3,420 | | | | | | |
| Suspension | Rear air-ride suspension | | \$1,440 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel bearings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | N/A | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | N/A | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$3,948 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$244 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | N/A | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | N/A | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | \$8,270 | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,620 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | \$9,490 | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$8,840 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) | | N/A | | | | | | | |
| HVAC | Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |

| | | | | | | | | | |
|---------------------|--|--|-------------|--|--|--|--|--|--|
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$480 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$518 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$416 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$704 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,056 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$294 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| Floor mounted tracking requires plywood floor and the appropriate number of track seat | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | |
| C2 Model upgrade requires electric powered door, 78" headroom option & flat black | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | |
| 6. Flat floor | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | |

| | | | | | | | | | | | | |
|--|--|--|-------------------------------------|---|--------------|--------------|--------------|--------------|--------------|--------------|---------------|--|
| C71 Buses Listed With Volume Discounts and Options | PRICING SCHEDULE SCHOOL BUSES IFB 295 | | Enter Pricing in Yellow Areas Below | | | | | | | | | |
| Bus Type | Seating Capacity | | Manufacturer | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| C | 71 | | Kingmor/IC | | | | | | | | | |
| C | 71 | | Commonwealth Bus/Bluebird | | | | | | | | | |
| C | 71 | | Sonny Merryman/Thomas | | \$67,211 | \$67,211 | \$66,711 | \$66,711 | \$66,711 | \$66,211 | \$66,211 | \$66,211 |
| | | | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| C | 71 | | Kingmor/IC | | | | | | | | | |
| C | 71 | | Commonwealth Bus/Bluebird | | | | | | | | | |
| C | 71 | | Sonny Merryman Thomas | | \$66,211 | \$66,211 | \$65,711 | \$65,711 | \$65,711 | \$65,711 | \$65,211 | \$0 |
| OPTIONS | | | Enter % Below | | | | | | | | | |
| Not Listed Options | | | 25% | | | | | | | | | |
| Discount from List | | | | | | | | | | | | |
| 12/27/2005 | | | | | | | | | | | | |
| Listed Options | | | Kingmor | Merryman | Commonwealth | | | | | | | |
| Air Tanks | 1600 CU each | | | STD | | | | | | | | |
| Alternator | 175 amp | | | \$210 | | | | | | | | |
| Alternator | 200 amp | | | \$510 | | | | | | | | |
| Axle Front | Front Axle Upgrade | | | N/A | | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | | STD | | | | | | | | |
| Battery | 12 volt, 850 CCA | | | N/A | | | | | | | | |
| Battery | 12 volt, 950 CCA | | | STD | | | | | | | | |
| Battery | 12 volt, 1050 CCA | | | N/A | | | | | | | | |
| Battery | 12 volt, 1150 CCA | | | \$36 | | | | | | | | |
| Battery | 12 volt, 1600 CCA | | | N/A | | | | | | | | |
| Battery | 12 volt, 1850 CCA | | | \$136 | | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | | \$794 + AIR BRAKE OPTION | | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | | STD W / AIR BRAKE OPTION | | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | | \$10 | | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | | STD | | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | | STD W / AIR BRAKE OPTION | | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | | STD | | | | | | | | |
| Brakes | Increased front brake lining | | | N/A | | | | | | | | |
| Brakes | Increased rear brake lining | | | N/A | | | | | | | | |
| Brakes | Dust Shields | | | STD | | | | | | | | |
| Electrical | Master Disconnect Switch | | | \$125 | | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | | STD | | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | | STD W / CUMMINS ENGINE - \$240 W / MBE ENGINE | | | | | | | | |
| Engine | Weatherproof block heater | | | \$150 | | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | | \$150 | | | | | | | | |
| Engine | High idle switch | | | STD | | | | | | | | |
| Engine | Cummins ISB 190 hp | | | N/A | | | | | | | | |
| Engine | Cummins ISB 210 hp | | | 200 HP STD | | | | | | | | |
| Engine | Cummins ISB 215 hp | | | 220 HP \$485 | | | | | | | | |
| Engine | VT-365 200 hp | | | N/A | | | | | | | | |
| Engine | VT-365 215 hp | | | N/A | | | | | | | | |
| Engine | VT-365 230 hp | | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | | \$633 | | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | | \$1,068 | | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | | \$1,656 | | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | | \$2,155 | | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | | N/A | | | | | | | | |
| Engine | CAT C7 190 HP | | | N/A | | | | | | | | |
| Engine | CAT C7 210 HP | | | N/A | | | | | | | | |
| Engine | CAT C7 230 HP | | | N/A | | | | | | | | |
| Engine | CAT C7 250 HP | | | N/A | | | | | | | | |
| Engine | CAT C7 275 HP | | | N/A | | | | | | | | |
| Engine | CAT C7 285 HP | | | N/A | | | | | | | | |
| Engine | DT466E 210 HP | | | N/A | | | | | | | | |
| Engine | DT466E 220 HP | | | N/A | | | | | | | | |
| Engine | DT466E 245 HP | | | N/A | | | | | | | | |
| Engine | DT466E 275 HP | | | N/A | | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | | N/A | | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | | N/A | | | | | | | | |
| Fuel Tank | 85 gallon | | | STD | | | | | | | | |
| Fuel Tank | 100 gallon | | | \$300 | | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | | STD | | | | | | | | |
| Radiator | Swing-out Radiator | | | N/A | | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | | STD | | | | | | | | |
| Radiator | Electronically controlled fan clutch | | | STD | | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | | STD | | | | | | | | |
| Radiator | Coolant and heater system silicone | | | N/A | | | | | | | | |
| Steering | Till/Telescopic | | | \$250 | | | | | | | | |
| Steering | Padded steering wheel | | | STD | | | | | | | | |
| Suspension | Air Ride Suspension | | | N/A | | | | | | | | |
| Suspension | Rear air-ride suspension | | | \$410 | | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | | STD | | | | | | | | |
| Suspension | Tapered leaf parabolic | | | STD | | | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | | \$155 | | | | | | | | |
| Tires | Oil lubed front wheel bearings | | | STD | | | | | | | | |
| Tires | Rear chains (not automatic) | | | \$150 | | | | | | | | |
| Tires | Stemco front hubs | | | N/A | | | | | | | | |

[illegible]

[illegible]

| | | | | | | | | | | | |
|----------------------------------|--|--|-----------|--|--|--|--|--|--|--|--|
| Storage Compartment | Underbody Compartment, 84" long | | N/A | | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux- Through | | N/A | | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux- Through | | N/A | | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counts sunk bolts; continuous button support | | N/A | | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | | |
| Wheelchair | Q Straint non retractable tiedown | | \$284 | | | | | | | | |
| Wheelchair | Q straint retractable tiedown | | \$396 | | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelcahir position | | -\$81 | | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | STD | | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$349 | | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | STD | | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | | |
| | Window Frames Flat Black | | STD | | | | | | | | |
| | Webasto TSL 17 Engine Heater | | \$329 | | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$37 | | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | | |
| | Air Brake upgrade required for certain option useage | | \$1,460 | | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes) | | \$364 | | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$610 | | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | | |
| | Radiator Shutters | | \$479 | | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | \$700 | | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | \$1,000 | | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | | |
| | On/Off Fan Clutch | | \$302 | | | | | | | | |
| | Mercedes Benz Engine Exhaust Brake | | \$505 | | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | | |

[illegible]

| | | | | | | | | | | |
|--|--|-------------------------------|--------------|-------------------|--------------|--------------|--------------|--------------|---------------|--|
| D71 FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 71 FE | Kingmor/IC | | | | | | | | |
| D | 71 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 71 FE | Sonny Merryman Thomas | \$69,853 | \$69,853 | \$69,353 | \$69,353 | \$69,353 | \$68,853 | \$68,853 | \$68,853 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 71 FE | | | | | | | | | |
| D | 71 FE | Kingmor/IC | | | | | | | | |
| D | 71 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 71 FE | Sonny Merryman Thomas | \$68,853 | \$68,853 | \$68,353 | \$68,353 | \$68,353 | \$68,353 | \$67,853 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List 12/27/2005 | | Kingmor | | | | | | | | |
| Not Listed Options Discount from List | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$4,262 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | |
| Exterior | Continuous full body drip - windows and doors | | STD | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | |

| | | | | | | | | | |
|-----------------|---|--|-------------|--|--|--|--|--|--|
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Floor | Flat | | \$0 | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | |
| Interior | 2" Insulation R8 | | STD | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | |
| Interior | 12" window openings | | STD | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | |
| Interior | Painted Green | | N/A | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$520 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$432 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$768 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,136 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$336 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |

| | | | | | | | | | | |
|----------------------------------|---|--|-----------|--|--|--|--|--|--|--|
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'Straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$349 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$70 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option usage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | N/A | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | | |

[illegible]

| | | | | | | | | | | | |
|---|--|----------------------------|------------|--------------|--------------|--------------|--------------|--------------|--------------|---|-----|
| D72 RE Buses Listed With Volume Discounts and Options | D72 RE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | |
| D | 72RE | Kingmor/IC | | | | | | | | | |
| D | 72RE | Commonwealth Bus/Blue Bird | | | | | | | | | |
| D | 72RE | Sonny Merryman Thomas | \$79,428 | \$79,428 | \$78,928 | \$78,928 | \$78,928 | \$78,428 | \$78,428 | \$78,428 | |
| D | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? | |
| D | | | | | | | | | | | |
| D | 72RE | Kingmor/IC | | | | | | | | | |
| D | 72RE | Commonwealth Bus/Blue Bird | | | | | | | | | |
| D | 72RE | Sonny Merryman Thomas | \$78,428 | \$78,428 | \$77,928 | \$77,928 | \$77,928 | \$77,928 | \$77,928 | \$77,428 | \$0 |
| OPTIONS | | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | | |
| Listed Options | | | | | | | | | | | |
| | | Kingmor | Merryman | Commonwealth | | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | | |
| Electrical | Master Disconnect Switch | | \$251 | | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | | |
| Engine | Cummins ISB 210 hp | | STD | | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$760 | | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,240 | | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$1,888 | | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | \$3,822 | | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$680 | | | | | | |
| Steering | Tilt/Telescopic | | STD | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | \$3,420 | | | | | | |
| Suspension | Rear air-ride suspension | | \$1,440 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel bearings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | N/A | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | N/A | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$3,948 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$244 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | N/A | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | N/A | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | \$8,270 | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,620 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | \$9,490 | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$8,840 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) | | N/A | | | | | | | |
| HVAC | Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |

| | | | | | | | | | |
|---------------------|--|--|-------------|--|--|--|--|--|--|
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$540 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$452 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$768 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,152 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$328 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |

| | | | | | | | | | |
|--|--|--|-----------|--|--|--|--|--|--|
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | |
| Wheelchair | Q Straint non retractable tiedown | | \$284 | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | |
| Wheelchair | Kinneydyne L Track | | N/A | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$349 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | |
| Thomas Recommended Options | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | |
| | Padded Rails Interior @ Window Level | | \$50 | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | |
| | Air Brake upgrade required for certain option usage | | STD | | | | | | |
| | Spare Wheel | | \$100 | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | N/A | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | | \$2,385 | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | | \$2,601 | | | | | | |
| | LED Back Up Lights | | \$348 | | | | | | |
| Thomas Footnotes | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and either | | | | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| Floor mounted tracking requires plywood floor and the appropriate number of track seat | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | |
| C2 Model upgrade requires electric powered door, 78" headroom option & flat black | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | |
| 6. Flat floor | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | |

[illegible]

[illegible]

[illegible]

[illegible]

| | | | | | | | | | | |
|--|---|-------------------------------|--------------|-------------------|--------------|--------------|--------------|--------------|---------------|--|
| D77 FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 77 FE | Kingmor/IC | | | | | | | | |
| D | 77 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 77 FE | Sonny Merryman Thomas | \$70,595 | \$70,595 | \$70,095 | \$70,095 | \$70,095 | \$69,595 | \$69,595 | \$69,595 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 77 FE | Kingmor/IC | | | | | | | | |
| D | 77 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 77 FE | Sonny Merryman Thomas | \$69,595 | \$69,595 | \$69,095 | \$69,095 | \$69,095 | \$69,095 | \$68,595 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |

| | | | | | | | | | | |
|-----------------------|--|--|----------------------|--|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | | |
| Transmission | Allison PTS 3000 | | \$4,262 | | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |

| | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Floor | Flat | | \$0 | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | |
| Interior | 12" window openings | | STD | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | |
| Interior | Painted Green | | N/A | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|-------------|--|--|--|--|--|--|--|
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$565 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$498 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$832 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,232 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$364 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelcahir position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$369 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$80 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option useage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | N/A | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | | |

[illegible]

| | | | | | | | | | | |
|--|---|-------------------------------|--------------|-------------------|--------------|--------------|--------------|--------------|---------------|--|
| D78 RE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 78RE | Kingmor/IC | | | | | | | | |
| D | 78RE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 78RE | Sonny Merryman Thomas | \$84,388 | \$84,388 | \$83,888 | \$83,888 | \$83,888 | \$83,388 | \$83,388 | \$83,388 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 78RE | Kingmor/IC | | | | | | | | |
| D | 78RE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 78RE | Sonny Merryman Thomas | \$83,388 | \$83,388 | \$82,888 | \$82,888 | \$82,888 | \$82,888 | \$82,388 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | |
| Listed Options | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$251 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 210 hp | | STD | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$760 | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,240 | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$1,888 | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | \$3,822 | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$680 | | | | | | |
| Steering | Tilt/Telescopic | | STD | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | \$3,420 | | | | | | |
| Suspension | Rear air-ride suspension | | \$1,440 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel bearings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | N/A | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | N/A | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$3,948 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$244 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | N/A | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | N/A | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | \$8,270 | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,620 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | \$9,490 | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$8,840 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2 " Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |

| | | | | | | | | | |
|---------------------|--|--|-------------|--|--|--|--|--|--|
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$600 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$498 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$832 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,248 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$352 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | \$1,695 | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | \$2,295 | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | |

| | | | | | | | | | |
|--|--|--|-----------|--|--|--|--|--|--|
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | |
| Wheelchair | Q Straint non retractable tiedown | | \$284 | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | |
| Wheelchair | Kinneydyne L Track | | N/A | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$369 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | |
| Thomas Recommended Options | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | |
| | Padded Rails Interior @ Window Level | | \$60 | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | |
| | Air Brake upgrade required for certain option usage | | STD | | | | | | |
| | Spare Wheel | | \$100 | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes) | | N/A | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | N/A | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | | \$2,385 | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | | \$2,601 | | | | | | |
| | LED Back Up Lights | | \$348 | | | | | | |
| Thomas Footnotes | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and either | | | | | | | | | |

| | | | | | | | | |
|--|--|--|--|--|--|--|--|--|
| Floor mounted tracking requires plywood floor and the appropriate number of track seat | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | |
| C2 Model upgrade requires electric powered door, 78" headroom option & flat black | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the following | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | |
| 6. Flat floor | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too many | | | | | | | | |

| D83 FE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
|--|--|-------------------------------|--------------|-------------------|----------|----------|----------|----------|----------|---|
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 |
| D | 83 FE | Kingmor/IC | | | | | | | | |
| D | 83 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 83 FE | Sonny Merryman Thomas | \$75,726 | \$75,726 | \$75,226 | \$75,226 | \$75,226 | \$74,726 | \$74,726 | \$74,726 |
| | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? |
| D | 83 FE | Kingmor/IC | | | | | | | | |
| D | 83 FE | Commonwealth Bus/Blue Bird | | | | | | | | |
| D | 83 FE | Sonny Merryman Thomas | \$74,726 | \$74,726 | \$74,226 | \$74,226 | \$74,226 | \$74,226 | \$73,726 | \$0 |
| OPTIONS | | | | | | | | | | |
| Not Listed Options Discount from List 12/27/2005 | | Kingmor | | | | | | | | |
| Not Listed Options Discount from List Listed Options | | Commonwealth Bus | | | | | | | | |
| | | Sonny Merryman | 25% | | | | | | | |
| | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | |
| Brakes | Four-channel air brakes, "long-stroke" design. | | \$150 | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | |
| Electrical | Master Disconnect Switch | | \$468 | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | |
| Engine | Cummins ISB 190 hp | | 200 HP STD | | | | | | | |
| Engine | Cummins ISB 210 hp | | 220 HP \$685 | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | |
| Engine | DT466E 245 HP | | N/A | | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | | |
| Radiator | Swing-out Radiator | | STD | | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | | |
| Radiator | Coolant and heater system silicone | | \$588 | | | | | | | |
| Steering | Tilt/Telescopic | | \$250 | | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | | |
| Suspension | Air Ride Suspension | | N/A | | | | | | | |
| Suspension | Rear air-ride suspension | | \$485 | | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | \$684 | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | \$0 | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | N/A | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | STD | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | \$0 | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$204 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | \$548 | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | \$450 | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | |
| Driver Seat | High Back | | STD | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | |
| Exterior | Removable winter front grill cover | | \$50 | | | | | | |
| Exterior | Continuous full body drip - windows and doors | | STD | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | |

| | | | | | | | | | |
|-----------------|---|--|-------------|--|--|--|--|--|--|
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | |
| Floor | Flat | | \$0 | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 53,000 BTU rear A/C | | \$4,520 | | | | | | |
| HVAC | 53,000 BTU front A/C | | \$4,220 | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | |
| HVAC | 104000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 104000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | 120000 BTU ducted A/C | | N/A | | | | | | |
| HVAC | 120000 BTU free blow A/C | | N/A | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | \$4,520 | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | \$1,880 | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | |
| Interior | 2" Insulation R8 | | STD | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | |
| Interior | 12" window openings | | STD | | | | | | |
| Interior | Aluminum aisle strips | | STD | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | |
| Interior | Painted Green | | N/A | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$595 | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$504 | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$896 | | | | | | |
| Seats | 39" wide | | STD | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,328 | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | |
| Seats | Seat Belt Ready | | \$392 | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | |

| | | | | | | | | | | |
|----------------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | N/A | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | N/A | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'Straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$389 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$90 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option usage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |
| | 270 amp alternator | | \$831 | | | | | | | |
| | Radiator Shutters | | N/A | | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | | |

[illegible]

| | | | | | | | | | | | |
|--|---|-------------------------------|--------------|-------------------|--------------|--------------|--------------|--------------|---------------|--|--|
| D84 RE Buses Listed With Volume Discounts and Options | D84 RE Buses Listed With Volume Discounts and Options | | | | | | | | | | |
| Bus Type | Seating Capacity | | 1-5 | 6-10 | 11-15 | 16-20 | 21-25 | 26-30 | 31-35 | 36-40 | |
| D | 84RE | Kingmor/IC | | | | | | | | | |
| D | 84RE | Commonwealth Bus/Blue Bird | | | | | | | | | |
| D | 84RE | Sonny Merryman Thomas | \$84,858 | \$84,858 | \$84,358 | \$84,358 | \$84,358 | \$83,858 | \$83,858 | \$83,858 | |
| D | | | 41-45 | 46-50 | 51-60 | 61-70 | 71-80 | 81-90 | 91-100 | Each Additional 10 Buses = What \$ Decreased Price per Bus from Last Increment? | |
| D | | | | | | | | | | | |
| D | 84RE | Kingmor/IC | | | | | | | | | |
| D | 84RE | Commonwealth Bus/Blue Bird | | | | | | | | | |
| D | 84RE | Sonny Merryman Thomas | \$83,858 | \$83,858 | \$83,358 | \$83,358 | \$83,358 | \$83,358 | \$82,858 | \$0 | |
| OPTIONS | | | | | | | | | | | |
| Not Listed Options Discount from List | | Kingmor | | | | | | | | | |
| 12/27/2005 | | Commonwealth Bus | | | | | | | | | |
| Not Listed Options Discount from List | | Sonny Merryman | 25% | | | | | | | | |
| Listed Options | | | | | | | | | | | |
| | | Kingmor | Merryman | Common- wealth | | | | | | | |
| Air Tanks | 1600 CU each | | STD | | | | | | | | |
| Alternator | 175 amp | | STD | | | | | | | | |
| Alternator | 200 amp | | \$373 | | | | | | | | |
| Axle Front | Front Axle Upgrade | | N/A | | | | | | | | |
| Axle Rear | Rear Axle Upgrade | | N/A | | | | | | | | |
| Battery | 12 volt, 850 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 950 CCA | | \$31 | | | | | | | | |
| Battery | 12 volt, 1050 CCA | | \$185 | | | | | | | | |
| Battery | 12 volt, 1150 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 1600 CCA | | N/A | | | | | | | | |
| Battery | 12 volt, 1850 CCA | | \$223 | | | | | | | | |
| Brakes | Air Brakes w/ air ride suspension, ABS with traction control, heated air dryer) | | N/A | | | | | | | | |
| Brakes | Outboard mounted drums, front and rear | | STD | | | | | | | | |
| Brakes | Dash-mounted pilot lamp to show when the brake-lights are on. | | \$10 | | | | | | | | |
| Brakes | Brake pedal covered with non-skid material. | | STD | | | | | | | | |
| Brakes | Four-channel air brakes, "long- stroke" design. | | \$150 | | | | | | | | |
| Brakes | Parking brake to be cable type to rear. | | N/A | | | | | | | | |
| Brakes | Increased front brake lining | | N/A | | | | | | | | |
| Brakes | Increased rear brake lining | | \$391 | | | | | | | | |
| Brakes | Dust Shields | | \$61 | | | | | | | | |
| Electrical | Master Disconnect Switch | | \$251 | | | | | | | | |
| Emergency Brake | Left hand parking brake lever | | N/A | | | | | | | | |
| Engine | Cold-starting aid, thermostatically controlled and actuated by the ignition key; no special action required by the driver. | | STD | | | | | | | | |
| Engine | Weatherproof block heater | | \$150 | | | | | | | | |
| Engine | Engine pre-heater (750 watt block style) for coolant jacket. | | \$150 | | | | | | | | |
| Engine | High idle switch | | STD | | | | | | | | |
| Engine | Cummins ISB 185 hp | | N/A | | | | | | | | |
| Engine | Cummins ISB 190 hp | | N/A | | | | | | | | |
| Engine | Cummins ISB 210 hp | | STD | | | | | | | | |
| Engine | Cummins ISB 215 hp | | N/A | | | | | | | | |
| Engine | VT-365 175 hp | | N/A | | | | | | | | |
| Engine | VT-365 200 hp | | N/A | | | | | | | | |
| Engine | VT-365 215 hp | | N/A | | | | | | | | |
| Engine | VT-365 230 hp | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz engine, MBE 904 | | N/A | | | | | | | | |
| Engine | 190 HP Mercedes Benz Engine MBE906 | | N/A | | | | | | | | |
| Engine | 210 HP Mercedes Benz Engine MBE906 | | \$760 | | | | | | | | |
| Engine | 230 HP Mercedes Benz Engine MBE906 | | \$1,240 | | | | | | | | |
| Engine | 250 HP Mercedes Benz Engine MBE906 | | \$1,888 | | | | | | | | |
| Engine | 275 HP Mercedes Benz Engine MBE906 | | \$3,822 | | | | | | | | |
| Engine | CAT C7 190 HP | | N/A | | | | | | | | |
| Engine | CAT C7 210 HP | | N/A | | | | | | | | |
| Engine | CAT C7 230 HP | | N/A | | | | | | | | |
| Engine | CAT C7 250 HP | | N/A | | | | | | | | |
| Engine | CAT C7 275 HP | | N/A | | | | | | | | |
| Engine | CAT C7 285 HP | | N/A | | | | | | | | |
| Engine | DT466E 210 HP | | N/A | | | | | | | | |
| Engine | DT466E 220 HP | | N/A | | | | | | | | |

| | | | | | | | | | |
|-----------------------|--|--|-------------------------|--|--|--|--|--|--|
| Engine | DT466E 245 HP | | N/A | | | | | | |
| Engine | DT466E 275 HP | | N/A | | | | | | |
| Engine | Engine cover equipped with access door to check fluid levels | | STD | | | | | | |
| Engine | Ratchet-style or hydraulic engine compartment door opening support | | N/A | | | | | | |
| Fuel Tank | 65 gallon | | STD | | | | | | |
| Fuel Tank | 100 gallon | | \$300 | | | | | | |
| Radiator | BetaWeld or Induction Weld Radiator | | STD | | | | | | |
| Radiator | Swing-out Radiator | | N/A | | | | | | |
| Radiator | Heavy Duty with recovery system, 190 degree Thermostat, Extended life Coolant. | | STD | | | | | | |
| Radiator | Electronically controlled fan clutch | | STD | | | | | | |
| Radiator | Constant torque hose clamps on all radiator hose connections | | STD | | | | | | |
| Radiator | Coolant and heater system silicone | | \$680 | | | | | | |
| Steering | Tilt/Telescopic | | STD | | | | | | |
| Steering | Padded steering wheel | | STD | | | | | | |
| Suspension | Air Ride Suspension | | \$3,420 | | | | | | |
| Suspension | Rear air-ride suspension | | \$1,440 | | | | | | |
| Suspension | Shocks: heavy duty front and rear | | STD | | | | | | |
| Suspension | Tapered leaf parabolic | | STD | | | | | | |
| Tires | Mud and Snow Rear Tires (Set of 4) | | \$155 | | | | | | |
| Tires | Oil lubed front wheel barings | | \$49 | | | | | | |
| Tires | Rear chains (not automatic) | | \$150 | | | | | | |
| Tires | Stemco front hubs | | N/A | | | | | | |
| Tires | Spare Tire | | \$352 | | | | | | |
| Tires | 11R22.5 14 Ply | | STD | | | | | | |
| Tires | Michelin 10R22.5 | | N/A | | | | | | |
| Tires | Michelin 25570R22.5 | | N/A | | | | | | |
| Tires | Goodyear 10R22.5 | | N/A | | | | | | |
| Tires | Goodyear 25570R22.5 | | N/A | | | | | | |
| Tires | Steel belted radials | | STD | | | | | | |
| Tires | Tubeless Radials (Highway tread), Low Profile (245-70R 19.5) | | N/A | | | | | | |
| Tires | Tires - Tubeless Radials Highway Tread | | STD | | | | | | |
| Transmission | Brake/transmission interlock | | \$121 | | | | | | |
| Transmission | Manual transmission deduct | | N/A | | | | | | |
| Transmission | Transynd Transmission Fluid | | \$249 | | | | | | |
| Transmission | Allison PTS 2500 | | STD | | | | | | |
| Transmission | Allison PTS 2200 | | N/A | | | | | | |
| Transmission | Allison PTS 3000 | | \$3,948 | | | | | | |
| Warranty | Body 5 year | | STD (STRUCTURE ONLY) | | | | | | |
| Warranty | Engine 5 year | | STD | | | | | | |
| Warranty | Engine Extended Warranty, 12 months | | N/A | | | | | | |
| Warranty | Engine Extended Warranty, 24 months | | N/A | | | | | | |
| Warranty | Transmission 3 year | | STD | | | | | | |
| Warranty | Transmission Extended Warranty, 12 months | | \$350 | | | | | | |
| Warranty | Transmission Extended Warranty, 24 months | | \$500 | | | | | | |
| Wheels | Stud Piloted Wheels | | N/A | | | | | | |
| Wheels | Hub Piloted Wheels | | STD | | | | | | |
| Audio/Video | A.M.-F.M. stereo P.A. radio system with cassette tape player | | \$455 | | | | | | |
| Audio/Video | AM/FM radio with clock and internal PA system, speakers and microphone | | \$455 | | | | | | |
| Audio/Video | AM/FM/PA system with cassette player and remote speakers; External speaker(s) for PA | | \$575 | | | | | | |
| Audio/Video | Exterior Speaker Horn | | \$120 | | | | | | |
| Audio/Video | 25 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | 40 watt Two Way Mobile Radio | | PRICE UPON REQUEST | | | | | | |
| Audio/Video | REI Bus Watch B & W w/out options | | \$967 | | | | | | |
| Audio/Video | REI Bus Watch color w/out options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch B & W w/ options | | \$1,037 | | | | | | |
| Audio/Video | REI Bus Watch color w/ options | | \$1,137 | | | | | | |
| Audio/Video | Video camera box | | \$200 | | | | | | |
| Audio/Video | Low profile antenna | | STD | | | | | | |
| Child Reminder System | Child reminder system | | \$104 | | | | | | |
| Doors | Manual Entrance Door | | STD | | | | | | |
| Doors | "Vandalock System" locking system | | \$244 | | | | | | |
| Doors | Air Powered Entrance Door Split Leaf, Outward Opening | | STD | | | | | | |
| Doors | Electric Powered Entrance Door Split Leaf, Outward Opening | | N/A | | | | | | |
| Doors | Right side entrance door assist handle | | \$43 | | | | | | |
| Doors | Toggle-type main door control switch | | STD | | | | | | |

| | | | | | | | | | | |
|-----------------|---|--|---------|--|--|--|--|--|--|--|
| Doors | Entrance door steps covered with Koroseal Pebble Treads | | \$159 | | | | | | | |
| Doors | Stainless steel assist rails mounted fore and aft of front service door | | \$43 | | | | | | | |
| Driver Seat | High Back | | STD | | | | | | | |
| Driver Seat | Arm rest (each) | | \$33 | | | | | | | |
| Driver Seat | Air ride suspension pedestal | | \$180 | | | | | | | |
| Driver Seat | Lumbar support adjustment | | STD | | | | | | | |
| Driver Seat | Lord Motion Master system | | \$312 | | | | | | | |
| Driver Seat | Three-point seat belt for driver | | STD | | | | | | | |
| Driver Seat | Barrier cover with two pouches behind driver seat | | \$45 | | | | | | | |
| Driver Seat | Bostrom Routemaster with Air Ride | | \$240 | | | | | | | |
| Driver Seat | Tilt cushion | | STD | | | | | | | |
| Driver Seat | Drivers modesty panel aluminized below barrier | | STD | | | | | | | |
| Emergency Exits | Additional roof hatch | | \$312 | | | | | | | |
| Emergency Exits | Lockable roof hatch | | \$40 | | | | | | | |
| Emergency Exits | Rear emergency door equipped with safety glass (AS-2) in lower portion | | STD | | | | | | | |
| Emergency Exits | Roof hatch with screened vent, brush guard, and outside door handle | | N/A | | | | | | | |
| Emergency Exits | Side window exit (Pair) | | \$140 | | | | | | | |
| Mirrors | Heated | | \$180 | | | | | | | |
| Mirrors | Remote Control Mirrors | | \$480 | | | | | | | |
| Mirrors | Heated and Remote Control | | \$580 | | | | | | | |
| Mirrors | Double nickel mirror system | | STD | | | | | | | |
| Mirrors | Mirror system, rear vision, breakaway, electric motorized remote control heated | | \$580 | | | | | | | |
| Stop Arm | Strobe stop sign | | \$144 | | | | | | | |
| Stop Arm | LED stop sign | | \$190 | | | | | | | |
| Stop Arm | Transpec Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Diamond | | \$70 | | | | | | | |
| Stop Arm | SMC Hi-intensity | | \$40 | | | | | | | |
| Exterior | Exhaust through rear bumper | | N/A | | | | | | | |
| Exterior | Bottom Snow rail | | STD | | | | | | | |
| Exterior | Mud Flaps | | \$61 | | | | | | | |
| Exterior | Rubber Fender | | \$196 | | | | | | | |
| Exterior | Removable winter front grill cover | | N/A | | | | | | | |
| Exterior | Continuous full body drip – windows and doors | | STD | | | | | | | |
| Exterior | Rub rails (each) | | STD | | | | | | | |
| Exterior | Skid plate/front step well guard | | \$88 | | | | | | | |
| Exterior | Paint Bumper Front | | STD | | | | | | | |
| Exterior | Paint Bumper Rear | | STD | | | | | | | |
| Exterior | 20 ga outside body side panels 19 3/4" | | STD | | | | | | | |
| Exterior | 16 ga outside body side panels 19 3/4" | | \$282 | | | | | | | |
| Exterior | 20 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Exterior | 16 ga outside body side panels 16 1/2" | | N/A | | | | | | | |
| Floor | Flat | | \$0 | | | | | | | |
| Floor | Koroseal gray | | \$159 | | | | | | | |
| Floor | Koroseal Pebble top | | \$159 | | | | | | | |
| Floor | 5/8" plywood throughout floor area of bus | | \$395 | | | | | | | |
| HVAC | Extra Defroster Fan | | \$62 | | | | | | | |
| HVAC | Heater; 60,000 BTU | | N/A | | | | | | | |
| HVAC | Heater; 88,000 BTU | | STD | | | | | | | |
| HVAC | 45,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 40,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 53,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU rear A/C | | N/A | | | | | | | |
| HVAC | 91,000 BTU front A/C | | N/A | | | | | | | |
| HVAC | 104000 BTU ducted A/C | | \$8,270 | | | | | | | |
| HVAC | 104000 BTU free blow A/C | | \$7,620 | | | | | | | |
| HVAC | 120000 BTU ducted A/C | | \$9,490 | | | | | | | |
| HVAC | 120000 BTU free blow A/C | | \$8,840 | | | | | | | |
| HVAC | TRANS AIR TA/73 Evaporator | | N/A | | | | | | | |
| HVAC | Trans Air DCM II Evaporator | | N/A | | | | | | | |
| HVAC | Additional Heater (Step-Well) Independent of Front Heater | | N/A | | | | | | | |
| HVAC | All heater cut-off valves (Ball Type) | | STD | | | | | | | |
| HVAC | Heater Core - Constructed of copper tube aluminum fin type | | STD | | | | | | | |
| HVAC | Heaters equipped with reusable filters and kick-guard | | STD | | | | | | | |
| Interior | Glove Compartment | | N/A | | | | | | | |
| Interior | Emergency Equipment Storage | | \$51 | | | | | | | |
| Interior | 2" Insulation R8 | | STD | | | | | | | |
| Interior | 1.5" Insulation R6 | | N/A | | | | | | | |
| Interior | Driver Area Insulation foam/foil face | | N/A | | | | | | | |
| Interior | Step Well Stainless Steel | | \$47 | | | | | | | |
| Interior | Acoustic Headlining over engine compartment | | \$104 | | | | | | | |
| Interior | 78" High Headroom | | STD | | | | | | | |
| Interior | 77" High Headroom | | N/A | | | | | | | |
| Interior | 12" window openings | | STD | | | | | | | |

| | | | | | | | | | | |
|---------------------|---|--|-------------|--|--|--|--|--|--|--|
| Interior | Aluminum aisle strips | | STD | | | | | | | |
| Interior | Anodized Aluminum Interior (Window to Floor) | | STD | | | | | | | |
| Interior | Painted tan or gray | | STD | | | | | | | |
| Interior | Painted Green | | N/A | | | | | | | |
| Interior | Insulation - Full Acoustical ceiling panel | | \$395 | | | | | | | |
| Interior | Adjustable Pedal System | | N/A | | | | | | | |
| Interior | Cell phone outlet | | \$26 | | | | | | | |
| Interior | Applied Air pressure gauges ABS 2 gauges | | STD | | | | | | | |
| Interior | Interior Safety mirror | | STD | | | | | | | |
| Keys | Keyed Alike | | \$24 | | | | | | | |
| Lights | LED Directional | | \$404 | | | | | | | |
| Lights | LED Marker and Clearance lights with metal shields (16 lights) | | \$228 | | | | | | | |
| Lights | LED Stop & tail lights 7" | | N/A | | | | | | | |
| Lights | LED Stop & tail lights 4" with tag lights | | \$318 | | | | | | | |
| Lights | Driver's light w/separate switch 1 light | | \$18 | | | | | | | |
| Lights | Driver's light w/separate switch 2 lights | | \$36 | | | | | | | |
| Lights | Rheostat switch for driver's dome | | \$51 | | | | | | | |
| Lights | Dome lights, extra row | | \$31 | | | | | | | |
| Lights | Warning - Halogen lights for 8-way System | | STD | | | | | | | |
| Lights | 4" stopping, flush | | \$24 | | | | | | | |
| Lights | Two stepwell lights | | \$25 | | | | | | | |
| Lights | Body marker lights controlled by chassis headlight switch through a continuous duty solenoid or heavy duty relay. | | STD | | | | | | | |
| Locks | A locking device for the driver's window | | STD | | | | | | | |
| Locks | All outside compartments keyed alike | | STD | | | | | | | |
| Manuals | Chassis manual, engine manual, school bus body manual, electrical diagrams. One copy of an illustrated parts reference for the school bus body. | | TBB ON LINE | | | | | | | |
| Manuals | ABS Brake manuals | | TBB ON LINE | | | | | | | |
| Manuals | Paper copy or electronic service manual required (one for each type of chassis and body), parts manual for each model, body, and chassis. | | TBB ON LINE | | | | | | | |
| Manuals | 1 service and operation manual per bus. 4 parts manual per bus order. One warranty certificate per bus. | | TBB ON LINE | | | | | | | |
| Manuals | One (1) set of "up to date" parts and service Manuals | | TBB ON LINE | | | | | | | |
| Noise Abatement | Perforated headlining in driver's area | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining over engine compartment | | \$104 | | | | | | | |
| Noise Abatement | Perforated headlining full length of body | | \$660 | | | | | | | |
| Noise Abatement | Noise Suppression Switch | | STD | | | | | | | |
| Paint | Painted white roof | | \$538 | | | | | | | |
| Park Brake | Spring type combination rear service and park brake. | | STD | | | | | | | |
| Seats | Plastic seat-belt webbing cutter | | STD | | | | | | | |
| Seats | C.E. White model CR39 with built-in child seats. | | \$575 | | | | | | | |
| Seats | Fire blocking seating and flooring material throughout the bus. | | \$544 | | | | | | | |
| Seats | All Passenger Seats (30 inch) with Passenger Restraints (2 per seat) | | \$896 | | | | | | | |
| Seats | 39" wide | | STD | | | | | | | |
| Seats | Seats to be 39" wide with seat belts for three (3) passengers | | \$1,344 | | | | | | | |
| Seats | Accommodate both 30" (right) and 39" (left) | | \$0 | | | | | | | |
| Seats | Seat belts, \$ per belt | | \$16 | | | | | | | |
| Seats | Seat Belt Ready | | \$376 | | | | | | | |
| Seats | Seat addition (per seat) | | \$81 | | | | | | | |
| Seats | Seat removal (credit per seat) | | -\$81 | | | | | | | |
| Seats | Track seating (Price Per Seat) | | \$100 | | | | | | | |
| Seats | Tracking for shoulder straps, price per foot | | \$31 | | | | | | | |
| Storage Compartment | Exterior Storage compartment for chains | | \$118 | | | | | | | |
| Storage Compartment | Exterior sealed storage compartment | | \$188 | | | | | | | |
| Storage Compartment | Locking storage compartment over driver's side window | | \$92 | | | | | | | |
| Storage Compartment | Underbody Compartment, 56" long | | \$680 | | | | | | | |
| Storage Compartment | Underbody Compartment, 84" long | | \$760 | | | | | | | |
| Storage Compartment | Underbody Compartment, 98" long | | \$840 | | | | | | | |
| Storage Compartment | Underbody Compartment, 69" Delux-Through | | \$1,695 | | | | | | | |

| | | | | | | | | | | |
|----------------------------|--|--|-----------|--|--|--|--|--|--|--|
| Storage Compartment | Underbody Compartment, 95" Delux-Through | | \$2,295 | | | | | | | |
| Storage Compartment | Set of two (2) driver controlled loading lights for each compartment | | \$100 | | | | | | | |
| Storage Compartment | 16x28x55 | | N/A | | | | | | | |
| Storage Compartment | 19x28x55 | | N/A | | | | | | | |
| Storage Compartment | 22x28x55 | | N/A | | | | | | | |
| Storage Compartment | 16x25x82 | | N/A | | | | | | | |
| Storage Compartment | 16x28x82 | | N/A | | | | | | | |
| Storage Compartment | 19x28x75 | | N/A | | | | | | | |
| Storage Compartment | 22x28x97 | | N/A | | | | | | | |
| Storage Compartment | 22x25x82 | | N/A | | | | | | | |
| Storage Compartment | (Enclosed Type) 132 Cubic Foot pass through compartment | | N/A | | | | | | | |
| Storage Compartment | Locks (per compartment) | | N/A | | | | | | | |
| Storage Compartment | Rubber Covered bottom of compartment floor | | N/A | | | | | | | |
| Storage Compartment | Pass through luggage compartment (76 cubic feet) | | N/A | | | | | | | |
| Storage Compartment | Integral Type 139 cubic feet pass through compartment, w/locks, struts, rubber bottom | | N/A | | | | | | | |
| Storage Compartment | Undercoating on the pass thru luggage compartment | | N/A | | | | | | | |
| Wheelchair | Wheelchair lift door 68" | | \$1,900 | | | | | | | |
| Wheelchair | Wheelchair lift door 60" | | \$1,900 | | | | | | | |
| Wheelchair | Track seating 30" & 39" per seat installed | | \$100 | | | | | | | |
| Wheelchair | Button Track - mounted over the windows on the right and left sides of the continuous length of the bus; counter sunk bolts; continuous button support | | N/A | | | | | | | |
| Wheelchair | Ricon lift package | | \$2,695 | | | | | | | |
| Wheelchair | Braun lift package | | \$2,695 | | | | | | | |
| Wheelchair | SurLock non retractable tiedown | | \$246 | | | | | | | |
| Wheelchair | SurLock retractable tiedown | | \$376 | | | | | | | |
| Wheelchair | Q'Straint non retractable tiedown | | \$284 | | | | | | | |
| Wheelchair | Q'straint retractable tiedown | | \$396 | | | | | | | |
| Wheelchair | In-floor tract system (two rails) price per foot | | \$54 | | | | | | | |
| Wheelchair | In-floor tract system (three rails) price per foot | | \$81 | | | | | | | |
| Wheelchair | In-floor tract system (four rails) price per foot | | \$108 | | | | | | | |
| Wheelchair | Kinnedyne L Track | | N/A | | | | | | | |
| Wheelchair | Over window track system \$ per foot | | \$42 | | | | | | | |
| Wheelchair | Credit per each seat replaced by a wheelchair position | | -\$81 | | | | | | | |
| Wheelchair | Wheelchair/Seat Tracking (Price Per Foot) | | SEE ABOVE | | | | | | | |
| Wheelchair | 2 lights around lift | | STD | | | | | | | |
| Windows, Glass | Windshield wipers, intermittent | | \$48 | | | | | | | |
| Windows, Glass | Passenger Window - Tinted | | \$389 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, driver's window | | \$92 | | | | | | | |
| Windows, Glass | Storm glass, Thermopane, entire entrance door | | \$186 | | | | | | | |
| Thomas Recommended Options | | | | | | | | | | |
| | C2 Model Upgrade (Additional options required) | | N/A | | | | | | | |
| | CD Player in lieu of Cassette | | \$92 | | | | | | | |
| | Seon Design Color Video System | | \$1,027 | | | | | | | |
| | Seon Design Color Video System w/Options | | \$1,175 | | | | | | | |
| | LED 8 Lamp Warning System | | \$976 | | | | | | | |
| | Window Frames Flat Black | | \$150 | | | | | | | |
| | Webasto TSL 17 Engine Heater | | N/A | | | | | | | |
| | Webasto Scholastic Series Engine Heater | | \$2,332 | | | | | | | |
| | Manual Warning Light Activation (Requires power door) | | STD | | | | | | | |
| | Padded Rails Interior @ Window Level | | \$70 | | | | | | | |
| | Fog Lights (2) | | \$92 | | | | | | | |
| | Rear Tow Hooks (2) | | STD | | | | | | | |
| | Air Brake upgrade required for certain option useage | | STD | | | | | | | |
| | Spare Wheel | | \$100 | | | | | | | |
| | ABS w/Traction Control (Requires Air Brakes) | | N/A | | | | | | | |
| | Michelin 11R22.5 14 ply radial tires | | \$540 | | | | | | | |

| | | | | | | | | | |
|--|--|--|---------|--|--|--|--|--|--|
| | 270 amp alternator | | \$831 | | | | | | |
| | Radiator Shutters | | N/A | | | | | | |
| | Engine Extended Warranty 12 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months - Mercedes Benz | | N/A | | | | | | |
| | Engine Extended Warranty 24 months/150K Miles - Cummins | | N/A | | | | | | |
| | Engine Extended Warranty 60 months/200K Miles - Cummins | | N/A | | | | | | |
| | Bendix AD-IP air dryer in lieu of STD | | \$198 | | | | | | |
| | Racor Fuel Water Separator | | \$248 | | | | | | |
| | Low Coolant Sensor | | \$40 | | | | | | |
| | On Spot Automatic Chains | | \$1,770 | | | | | | |
| | On/Off Fan Clutch | | STD | | | | | | |
| | IMMI Integrated Child Seat | | \$520 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 2 passenger seat | | \$710 | | | | | | |
| | IMMI Integrated Child Seat w/Shoulder Harness Seat Belts, 3 passenger seat | | \$755 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 2 passenger seat | | \$480 | | | | | | |
| | IMMI Seat w/Shoulder Harness Seat Belt 3 passenger seat | | \$540 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color | | \$1,641 | | | | | | |
| | Seon Design, Digital Video Camera System, 1 channel color w/Option Module | | N/A | | | | | | |
| | Seon Design, Digital Video Camera System, 4 channel color w/Option Module | | \$2,453 | | | | | | |
| | Seon Design Digital Additional Cameras ea | | \$325 | | | | | | |
| | Seon Design Digital Viewing Peripheral (Playback/Archiving) | | \$350 | | | | | | |
| | Digital REI Bus Watch, 1 channel color | | \$1,881 | | | | | | |
| | Digital REI Bus Watch, 1 channel color w/Option Module | | \$1,951 | | | | | | |
| | Digital REI Bus Watch, 4 channel color w/Option Module | | \$2,166 | | | | | | |
| | Digital REI Bus Watch Additional Cameras EA | | \$375 | | | | | | |
| | Viewing Peripheral (Playback/Archiving) | | \$1,225 | | | | | | |
| | Seon Digital Explorer 4 Channel w/o Options | | \$2,385 | | | | | | |
| | Seon Digital Explorer 4 Channel w Options | | \$2,601 | | | | | | |
| | LED Back Up Lights | | \$348 | | | | | | |
| Thomas Footnotes | | | | | | | | | |
| All Air Conditioning options require 78" headroom plywood floor, tinted glass and Floor mounted tracking requires plywood foor and the appropriate number of track | | | | | | | | | |
| Flat floor option requires air ride suspension, 255/70R22.5 tires & plywood floor. | | | | | | | | | |
| C2 Model upgrade requires electric powered door, 78" headroom option & flat | | | | | | | | | |
| On 34 & 52 passenger units the air brake option upgrade is required for the | | | | | | | | | |
| 1. Increased front brake lining | | | | | | | | | |
| 2. Rear Air ride suspension | | | | | | | | | |
| 3. Manual transmission deduct (unless waiver granted from VA DOE) | | | | | | | | | |
| 4. Abs w/traction control | | | | | | | | | |
| 5 Air operated entrance door | | | | | | | | | |
| 6. Flat floor | | | | | | | | | |
| 7. On spot automatic chains | | | | | | | | | |
| If wheelchair lift is ordered a side door (60" or 68") must be ordered. | | | | | | | | | |
| TBB Online is a Parts & Service Online | | | | | | | | | |
| Two way radio prices can be quoted on an as specified basis. There are too | | | | | | | | | |

| Parts & Labor Rates/Discounts | Merryman | Kingmor | Commonwealth |
|--|----------|---------|--------------|
| Discounts Based on List Price | | Fleet | |
| | | | |
| Bluebird | | | |
| International | | | |
| Thomas | 35% | | |
| Ricon | 35% | | |
| Braun | 35% | | |
| Kinedyne/Surelok | 35% | | |
| OEM Body Parts (body sheets, rub rails, stairwells, etc) | 35% | | |
| OEM Windows, windshield and windshield glass | 35% | | |
| OEM Brake Parts | 25% | | |
| OEM Chassis (fuel tanks, etc) | 35% | | |
| 12/27/2005 | | | |
| Miscellaneous other OEM and Aftermarket School Bus Parts | 25% | | |
| | | | |
| | | | |
| Labor Rate Per Hour | | | |
| Lynchburg | \$73 | | |
| Chesapeake | \$80 | | |
| Woodbridge | \$95 | | |